


Guidewires

HIGH PERFORMANCE



Dreamwire™ High Performance Guidewires




Order Number	Description	O.D. (in) / (mm)	Length (cm)	Dream Tip Style	Units
M00556101	Dreamwire Standard	.035 / 0.89	260	Straight	box 2
M00556111	Dreamwire Standard	.035 / 0.89	260	Angled	box 2
M00556121	Dreamwire Stiff Shaft	.035 / 0.89	260	Straight	box 2
M00556131	Dreamwire Stiff Shaft	.035 / 0.89	260	Angled	box 2
M00556141	Dreamwire Standard	.035 / 0.89	450	Straight	box 2
M00556151	Dreamwire Standard	.035 / 0.89	450	Angled	box 2
M00556161	Dreamwire Stiff Shaft	.035 / 0.89	450	Straight	box 2
M00556171	Dreamwire Stiff Shaft	.035 / 0.89	450	Angled	box 2

5cm Jagwire™ Guidewire Tip

10cm Straight Dream Tip™

10cm Angled Dream Tip



Hydra Jagwire™ High Performance Guidewires




Order Number	Description	O.D. (in) / (mm)	Length (cm)	Dream Tip Style	Units
M00556001	Hydra Jagwire Standard	.035 / 0.89	260	Straight	box 2
M00556011	Hydra Jagwire Standard	.035 / 0.89	260	Angled	box 2
M00556021	Hydra Jagwire Stiff Shaft	.035 / 0.89	260	Straight	box 2
M00556031	Hydra Jagwire Stiff Shaft	.035 / 0.89	260	Angled	box 2
M00556041	Hydra Jagwire Standard	.035 / 0.89	450	Straight	box 2
M00556051	Hydra Jagwire Standard	.035 / 0.89	450	Angled	box 2
M00556061	Hydra Jagwire Stiff Shaft	.035 / 0.89	450	Straight	box 2
M00556071	Hydra Jagwire Stiff Shaft	.035 / 0.89	450	Angled	box 2

Hydra Jagwire Guidewire may remain in place during sphincterotomy. See "Instructions for Use" for details.

Guidewires

HIGH PERFORMANCE (CONTINUED)



Jagwire™ High Performance Guidewires

Order Number	Description	O.D. (in) / (mm)	Length (cm)	Tip Style	Units
M00556481	Jagwire Stiff Shaft	.025 / 0.64	260	Straight	box 2
M00556491	Jagwire Stiff Shaft	.025 / 0.64	260	Angled	box 2
M00557681	Jagwire Standard	.025 / 0.64	260	Straight	box 2
M00557641	Jagwire Standard	.035-.027 / 0.89-0.69	260	Straight	box 2
M00557651	Jagwire Standard	.035-.027 / 0.89-0.69	260	Angled	box 2
M00557661	Jagwire Stiff Shaft	.035-.027 / 0.89-0.69	260	Straight	box 2
M00557671	Jagwire Stiff Shaft	.035-.027 / 0.89-0.69	260	Angled	box 2
M0055656011	Jagwire Standard	.025 / 0.64	450	Straight	box 2
M0055658011	Jagwire Standard	.035-.027 / 0.89-0.69	450	Straight	box 2
M0055659011	Jagwire Standard	.035-.027 / 0.89-0.69	450	Angled	box 2
M0055660011	Jagwire Stiff Shaft	.035-.027 / 0.89-0.69	450	Straight	box 2
M0055661011	Jagwire Stiff Shaft	.035-.027 / 0.89-0.69	450	Angled	box 2
M0055662011	Jagwire Standard	.038 / 0.97	260	Straight	box 2

Jagwire Guidewire may remain in place during sphincterotomy. See "Instructions for Use" for details.



Jagwire™ High Performance Guidewires – Extendable Jagwire

Order Number	Description	O.D. (in) / (mm)	Length (cm)	Tip Style	Units
M00556902	Jagwire Jag Tail	.035 / 0.89	200	Guidewire Extension	box 5
M00556921	Jagwire Standard	.035-.027 / 0.89-0.69	260	Straight	box 2
M00556931	Jagwire Standard	.035-.027 / 0.89-0.69	260	Angled	box 2
M00556941	Jagwire Stiff Shaft	.035-.027 / 0.89-0.69	260	Straight	box 2
M00556951	Jagwire Stiff Shaft	.035-.027 / 0.89-0.69	260	Angled	box 2

Jagwire Guidewire may remain in place during sphincterotomy. See "Instructions for Use" for details.




Jagwire™ Pulmonary Guidewire

Order Number	Description	O.D. (in) / (mm)	Length (cm)	Units
M00515171	Jagwire	.035 / 0.89	180	box 2

Jagwire Guidewire may remain in place during sphincterotomy. See "Instructions for Use" for details.

Guidewires

EXCHANGE



Pathfinder™ Exchange Guidewire

Order Number	Description	O.D. (in) / (mm)	Length (cm)	Tip Style	Units
M00551591	Pathfinder Exchange Guidewire Stiff Shaft	.018 / 0.46	450	Shapeable	box 2

STANDARD

Amplatz™ Super Stiff Guidewire



Order Number	Description	O.D. (in) / (mm)	Length (cm)	Tip Style	Units
M00550090	Amplatz Super Stiff Guidewire	.038 / 0.97	260	Straight	box 1

Wallstent™ Super Stiff Guidewire



Order Number	Description	O.D. (in) / (mm)	Length (cm)	Tip Style	Units
H965180011	Wallstent Super Stiff Guidewire	.035 / 0.89	500	Tapered	box 5